

COMMONWEALTH OF KENTUCKY
DEPARTMENT FOR WORKFORCE INVESTMENT
OFFICE OF VOCATIONAL REHABILITATION

MEDICAL REPORT

Visual Disability

To Examiner: Please send completed report to: Office of Vocational Rehabilitation
Driver Rehabilitation Technology Program
1591 Winchester Raod, Suite 112
Lexington, KY 40505

Name of patient: Address:

SECTION I – REPORT OF EXAMINATION

VISUAL ACUITY – Snellen notations (20 feet for distance; 14 inches for reading).

1. Distance: (a) Without glasses:	(b) With best correction:	(c) Percentage loss – with best correction
R	R	R %
L	L	L %
2. Reading: (a) Without glasses:	(b) With best correction:	(c) Percentage loss – with best correction
R	R	R %
L	L	L %
3. Refraction record: (a) Sphere:	(b) Cylinder:	(c) Axis
R	R	R %
L	L	L %
(d) Is difference in spherical correction of the two eyes more than 3 diopters?	Yes	No

VISUAL FIELD: (Do not make detailed test unless indicated by preliminary test) Normal Restricted

If restricted, or if scotomata are present, chart on back of form and describe under pathology.

MUSCLE FUNCTION: (Do not make detailed test unless indicated by preliminary test.) Normal Restricted

If restricted, chart the motor field on back of form and describe under pathology.

BINOCULAR FUNCTION:

1. Does patient have useful binocular vision in all directions – with glasses?

For distance Yes No For near Yes No

2. If patient does not have useful binocular vision, give reason and explain any handicap arising there from

Is depth perception present? Yes No

TABLES AND CHARTS

NOTE - The tables below are on the basis of examination at 20 feet for distant and 14 inches for near vision. If the patient's eye condition is such that examination cannot be made at these distances, the distance at which it is made should be shown with the distance at which a person having normal vision would be able to see the same test letters or characters, and the percentage loss should be calculated therefrom.

1. Table of Percentage LOSS of Visual Efficiency Corresponding to Snellen Notations for Distance and for Reading (American Medical Association Standards) and to Jaeger Reading Test Card

FOR DISTANCE At 20 Feet Snellen Notations AMA Chart	FOR READING At 14 Feet Snellen Notations AMA Chart	FOR READING By Test on Jaeger Card	Percentage Loss
20/20	14/14	No. 1	No Loss
20/25	14/17.5		4.3
20/30	14/21	No. 2	3.5
20/35	14/24.5	No. 3	12.5
20/40	14/26	No. 4	16.4
20/45	14/31.5	No. 5	20.0
20/50	14/35	No. 6	23.5
20/60	14/42	No. 8	30.0
20/70	14/49	No. 9	35.0
20/80	14/56	No. 10	41.5
20/90	14/63		46.6
20/100	14/70	No. 11	51.1
20/110			55.0
20/120	14/84	No. 12	60.1
20/140	14/96	No. 14	65.8
20/160	14/112	No. 16	71.4
20/200	14/140	No. 17	80.0
20/240	14/168	No. 18	87.0
20/320	14/224	No. 19	92.8
20/480	14/336	No. 20	98.0

2. Table of LOSS in Binocular Vision (Motor-Field Efficiency)

EXTENT OF LOSS	MOTOR-FIELD EFFICIENCY (percent)
No loss	100
1/20	98
2/25	95
3/30	92
4/35	89
5/40	87
6/45	84
7/50	81
8/60	77
9/70	74
10/80	71
11/20	67
12/20	63
13/20	59
14/20	55
15/20	50
16/20	45
17/20	39
18/20	32
19/20	22
20/20	0